

## ADAPTERS

### 5 Adapters


Same spotlight heads + 5 kinds of adapters = 5 different system



Spot



Pendant






**Spot35**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
5W	> 90	< 3	3000K	20°	526Lm
	> 80		2700K	30°	
			4000K	40°	

■ Sandy Black    □ Sandy White    ■ Golden


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**




**Spot35-T**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
2x5W	> 90	< 3	3000K	20°	526Lm
	> 80		2700K	30°	
			4000K	40°	

■ Sandy Black    □ Sandy White    ■ Golden


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**






**Spot65-R**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
8W	> 90	< 3	3000K	10°	251Lm
	> 80		2700K	20°	
			4000K	30°	

■ Sandy Black □ Sandy White


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**




**Spot92-R**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
15W	> 90	< 3	3000K	10°	481Lm
	> 80		2700K	20°	
			4000K	30°	

■ Sandy Black □ Sandy White


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**






**Spot50**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
10W	> 90	< 3	3000K	18°	682Lm
	> 80		2700K	24°	
			4000K	36°	

■ Sandy Black    □ Sandy White    ■ Golden


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**






**Spot35-SQ**



POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
8W	> 90	< 3	3000K	15°	365Lm
	> 80		2700K		
			4000K		

■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**  
3000K 90Ra




**Spot50-SQ**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
10W	> 90	< 3	3000K	18°	688Lm
	> 80		2700K		
			4000K		

■ Sandy Black □ Sandy White


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**




**MINI CURVY**




**ULTRA SLIM**




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**






**Spot70**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
20W	> 90	< 3	3000K	18°	1343Lm
	> 80		2700K	24°	
			4000K	36°	

■ Sandy Black □ Sandy White


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**




**Zoom55**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
10W	> 90	< 3	3000K	20°-60°	800Lm
	> 80		2700K		
			4000K		

■ Sandy Black □ Sandy White


**LIGHT DISTRIBUTION**  
3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**





**Slim75**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
10W	> 90	< 3	3000K	36°	790Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**



**Slim90**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
15W	> 90	< 3	3000K	36°	1072Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**





**Slim 110**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
20W	> 90 > 80	< 3	3000K 2700K 4000K	36°	1430Lm


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**



**Gemini 45**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
8W	> 90 > 80	< 3	3000K 2700K 4000K	24°	600Lm


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**







**Gemini55**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
12W	> 90	< 3	3000K	24°	1005Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**



**Gemini65**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
16W	> 90	< 3	3000K	24°	1333Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**




**MINI CURVY**




**ULTRA SLIM**






Angle adjustment

Halo spot




Φ164mm



Φ120mm

Halo linear



Φ164mm



Φ120mm



**Halo-D18**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
18W	> 90	< 3	3000K	20°	1562Lm
	> 80		2700K	34°	
			4000K	48°	


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**



**Halo-L16**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
18W	> 90	< 3	3000K	Diffuse	686Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**





**Halo-D12**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
12W	> 90	< 3	3000K	20°	950Lm
	> 80		2700K	34°	
			4000K	48°	


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**



**Halo-L12**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
12W	> 90	< 3	3000K	Diffuse	470Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra




**STANDARD**




**MINI**




**STANDARD CURVY**



**MINI CURVY**



**ULTRA SLIM**



**ADAPTERS** | Pendant series





Pendant35-R






POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
5W	> 90	< 3	3000K	20°	526Lm
	> 80		2700K	30°	
			4000K	40°	

■ Sandy Black    □ Sandy White    ■ Golden    ■ Black bronze

LIGHT DISTRIBUTION

3000K 90Ra



Pendant50-R






POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
10W	> 90	< 3	3000K	18°	682Lm
	> 80		2700K	24°	
			4000K	36°	

■ Sandy Black    □ Sandy White    ■ Golden    ■ Black bronze

LIGHT DISTRIBUTION

3000K 90Ra







**Pendant35-R-A-10**



POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
5W	> 90 > 80	< 3	3000K 2700K 4000K	20°	460Lm

■ Sandy Black    □ Sandy White    ■ Golden    ■ Black bronze

**LIGHT DISTRIBUTION**  
3000K 90Ra





**Pendant35-R-A-20**



POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
5W	> 90 > 80	< 3	3000K 2700K 4000K	20°	460Lm

■ Sandy Black    □ Sandy White    ■ Golden    ■ Black bronze

**LIGHT DISTRIBUTION**  
3000K 90Ra





Pendant-glory




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
10W	> 90 > 80	< 3	3000K 2700K 4000K	Diffuse	264Lm

■ Sandy Black □ Sandy White

LIGHT DISTRIBUTION


3000K 90Ra

Diffuse




h(m)	E(lx)	Φ(m)
1	333	Φ1.24
2	83	Φ2.48
3	37	Φ3.72
4	20	Φ4.96
5	13	Φ6.20


STANDARD




MINI




ULTRA SLIM



STANDARD CURVY



MINI CURVY







Pendant-global









POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
5W	> 90 > 80	< 3	3000K 2700K 4000K	Diffuse	346Lm

■ Sandy Black □ Sandy White

LIGHT DISTRIBUTION

2700K 90Ra



Global









POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
5W	> 90 > 80	< 3	3000K 2700K 4000K	Diffuse	346Lm

■ Sandy Black □ Sandy White

LIGHT DISTRIBUTION

2700K 90Ra





**Pendant Zeoy**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
10W	> 90 > 80	< 3	3000K 2700K 4000K	Diffuse	498Lm

■ Sandy Black    □ Sandy White

**LIGHT DISTRIBUTION**


3000K 90Ra

Diffuse




h(m)	E(lx)	Φ(m)
1	298	Φ1.63
2	75	Φ3.27
3	33	Φ4.90
4	19	Φ6.54
5	12	Φ8.18


**STANDARD**




**MINI**




**ULTRA SLIM**



**STANDARD CURVY**



**MINI CURVY**



**Tube120**




POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
24W	> 90 > 80	< 3	3000K 2700K 4000K	Diffuse	2000Lm

■ Sandy Black    □ Sandy White

**LIGHT DISTRIBUTION**

2700K 90Ra

Diffuse



h(m)	E(lx)	Φ(m)
1	641	Φ2.83
2	160	Φ5.66
3	71	Φ8.49
4	40	Φ11.33
5	25	Φ14.16

