





Curvy Full-D10-s



Power 200W max Install Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze





Curvy 1/4-D10-s



Power 200W max Install Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze





Curvy 1/2-D10-s



Power 200W max Install Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze





Curvy 1/8-D10-s



Power 200W max Install Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze







Curvy Full-D06-s



Power Install

200W max Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze





Curvy 1/4-D06-s



Power Install

200W max Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze





Curvy 1/2-D06-s



Power Install

200W max Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze





Curvy 1/8-D06-s




Power Install

200W max Surface/Pendant/Recessed

■ Sandy Black □ Sandy White ■ Golden ■ Black bronze






Dot06-D10-s



POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
8W	> 90	< 3	3000K	Diffuse	565Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White



LIGHT DISTRIBUTION

3000K 90Ra

Diffuse



h(m)	E(lx)	Φ(m)
1	2873	Φ0.33
2	718	Φ0.67
3	319	Φ1.01
4	179	Φ1.34
5	114	Φ1.68




Linear12-D10-s



POWER	CRI	SDCM	CCT	BEAM	LUMINOUS FLUX
7W	> 90	< 3	3000K	Diffuse	460Lm
	> 80		2700K		
			4000K		


■ Sandy Black □ Sandy White



LIGHT DISTRIBUTION

3000K 90Ra

Diffuse



h(m)	E(lx)	Φ(m)
1	176	Φ2.45
2	44	Φ4.91
3	19	Φ7.37
4	11	Φ9.83
5	7	Φ12.29

